





9250 / 9251

Transparent

B4/crystal	
RN/pink-black	

Mat

03/white	
09/black	



9250



9251

9250



9251

9250/9251

JJ07

packaging

9250/9251

insulation class	directly fitted	degree of protection	tension volt	attachment	weight kg.
		IP20	220-240	G9	7,900
		IP20	120	G9 MAX 9x33W HALO	7,900
diameter Ø	height shade	length min÷max			
53	70	80÷240			



9250

Alternative sources:













G9 max 33W Halo
G9 max 4,5W Led

Material

Frame: Transparent or batch-dyed polycarbonate
Flowers: Batch-dyed technopolymer thermoplastic

Nine G9x4.5W LED light bulbs
Cannot be sold separately from 9250

quantity	weight kg.	volume m ³	size
1	9,520	0,140	59X50X49




	mounting class		voltage protection	voltage	plug	weight kg.
	insulation	direct				
9260 S2			IP20	220-240	G9	1,620
9261 S2			IP20	120	G9 HALO max 3x28W	1,620
9263 S2			IP20	220-240	G9	1,600
9264 S2			IP20	120	G9 HALO max 3x28W	1,600
9260/9261 9263/9268	diameter 28	height shade 19	length cable 29÷219			
9265 S1			IP20	220-240	G9	5,900
9266 S1			IP20	120	G9 HALO max 6x33W	5,900
9268 S1			IP20	220-240	G9	6,000
9269 S1			IP20	120	G9 HALO max 6x33W	6,000
9265/9266 9268/9269	diameter Ø 53	height shade 35	length cable 45÷235			
9280 S0			IP20	220-240	G9	14.500
9281 S0			IP20	120	G9 HALO max 9x33W	14.500
	diameter Ø 80	height diffuser 51.5	length min-max 60÷250			
9270 CW2			IP20	220-240	G9	1,620
9271 CW2			IP20	120	G9 HALO max 3x28W	1,620
9270/9271	diameter Ø 28	height shade 22				
9275 C1			IP20	220-240	G9	5,900
9276 C1			IP20	120	G9 HALO max 6x33W	5,900
9275/9276	diameter 53	height shade 39				
JJ08	Three G9x4.5W LED light bulbs Cannot be sold separately from 9260 S2 - 9270 CW2 - 9263 S2					
JJ09	Six G9x4.5W LED light bulbs Cannot be sold separately from 9265 S1 - 9268 S1 - 9275 C1					
JJ10	Nine G9x4.5W LED light bulbs Cannot be sold separately from 9280 S0					

packing	quantity	weight kg.	volume m ³	size
9260/9261	1	2,360	0,024	25X39X25
9263/9264	1	2,400	0,024	25X39X25
9265/9166	1	7,140	0,059	30X60X33
9268/9169	1	7,600	0,059	30X60X33
9270/9271	1	2,460	0,024	25X39X25
9275/9276	1	7,070	0,059	30X60X33
9280/9281	1	17,600	0,155	100X58X27



**9260 / 9261 / 9265 / 9266 / 9280
9270 / 9271 / 9275 / 9276 / 9281**

Transparent





B4/crystal	
LV/lavender	
MN/mint	

Matte

O3/white	
----------	---

9263 / 9268

Metallic

GG/gold	
BR/bronze	
RR/copper	
XR/gold-bronze-copper	



9260 S2 - 9263 S2 - 9265 S1
9268 S1 - 9280 S0 - 9270 CW2
9275 C1

9261 S2
9264 S2
9266 S1
9269 S1
9281 S0
9274 CW2
9276 C1

**9260 / 9263 / 9265 / 9268
9280 / 9270 / 9275**

Alternative sources:

G9 max 28W Halo
G9 max 4,5W Led

Material

Mass-dyed or metallic
technopolymer thermoplastic

