

# BLOOM 2011

Design Ferruccio Laviani

**9260/9261**  
S2  
**9263/9264**  
S2 Metallic

28 | 29 + 219 | 1.6 kg

Max 3x 4.5W Led G9 | 2700°K CRI 80 | 20.000 h. | 3x 360lm

IP 20 | 220-240 | CLASS F

**9270/9271**  
CW2

28 | 22 | 1.62 kg

**9265/9266**  
S1  
**9268/9269**  
S1 Metallic

53 | 35 | 45 + 235 | 6.0 kg

Max 6x 4.5W Led G9 | 2700°K CRI 80 | 20.000 h. | 6x 360lm

IP 20 | 220-240 | CLASS F

**9275/9276**  
C1

53 | 39 | 5.9 kg

**9280/9281**  
S0

80 | 51.5 | 60 + 250 | 14.5 kg

Max 9x 4.5W Led G9 | 2700°K CRI 80 | 20.000 h. | 9x 360lm

IP 20 | 220-240 | CLASS F

### MATERIAL

Transparent or mass-dyed technopolymer thermoplastic

TRANSPARENT

B4 Crystal | LV Lavender | MN Mint | O3 White

### MATERIAL

Metallic technopolymer thermoplastic

9263/9264/9268/9269

METALLIC

GG Gold | BR Bronze | RR Copper | XR Gold Bronze Copper

### JJ08

Three G9x3.5W LED light bulbs included  
Cannot be sold separately from 9260 S2/9270 CW2/9263 S2

### JJ09

Six G9x3.5W LED light bulbs included  
Cannot be sold separately from 9265 S1/9268 S1/9275 C1

### JJ10

Nine G9x3.5W LED light bulbs included  
Cannot be sold separately from 9280 S0

**9250/9251**

53 | 70 | 80 + 240 | 7.9 kg

Max 9x 4.5W Led G9 | 2700°K CRI 80 | 20.000 h. | 9x 360lm

IP 20 | 220-240 | CLASS F

### FRAME

Transparent or batch-dyed polycarbonate

### FLOWERS

Batch-dyed technopolymer thermoplastic

TRANSPARENT


B4 Crystal | RN Pink Black

MAT


O3 White | O9 Black

### JJ07


Nine G9x3.5W LED light bulbs included  
Cannot be sold separately from 9250




The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



<b>9260/9261</b>	1	2.36	0.024	25X39X25
<b>9263/9264</b>	1	2.4	0.024	25X39X25
<b>9265/9266</b>	1	7.14	0.059	30X60X33
<b>9268/9269</b>	1	7.6	0.059	30X60X33
<b>9270/9271</b>	1	2.46	0.024	25X39X25
<b>9275/9276</b>	1	7.07	0.059	30X60X33
<b>9280/9281</b>	1	17.6	0.157	100X58X25



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



<b>9250/9251</b>	1	9.52	0.145	59X50X49
------------------	---	------	-------	----------