


FOUR 2005

Design Ferruccio Laviani


4522

4502
Soft touch




4523

4503
Soft touch




4524

4509
Soft touch



4525

4510
Soft touch




LEGS


Painted steel

TOP

Scratch-proof laminate or scratch-proof soft touch laminate




EN 15372:2008	Level attained
Par. 5	Compliant
EN 1730:2000	Level attained
6.2	(maximum level) 3
6.3	(maximum level) 3
6.4	(maximum level) 3
6.6	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3



4502	1 top	29.8	0.108	170X7X91
	1 structure	19.4	0.161	79X85X24
4503	1 top	37.9	0.129	201X7X92
	1 structure	19.4	0.161	79X85X24
4509	1 top	50.4	0.150	235X7X91
	1 structure	19.4	0.161	79X85X24
4510	1 top	36.6	0.139	141X7X141
	1 structure	24.0	0.251	134X24X78
4522	1 top	30.0	0.108	170X7X91
	1 structure	19.4	0.161	79X85X24
4523	1 top	39.6	0.129	201X7X92
	1 structure	19.4	0.161	79X85X24
4524	1 top	50.5	0.150	235X7X91
	1 structure	19.4	0.161	79X85X24
4525	1 top	34.4	0.139	141X7X141
	1 structure	24.0	0.251	134X24X78

4514

Soft touch width: 90 cm




LEGS



Painted steel

TOP

Scratch-resistant soft-touch laminate



4514 Fenix soft touch



4514

1 top
1 structure

42.0
22.0


0.144
0.182

202X7X102
80X95X24


FOUR OUTDOOR 2014

Design Ferruccio Laviani


5522



5523



5524




MATERIAL

Galvanized steel and epoxy polyester coating



82
White
White



Model	Component	Weight (kg)	Volume (m³)	Code
5522	1 top	30.4	0.108	170X7X91
	1 structure	19.4	0.161	79X85X24
5523	1 top	36.0	0.129	201X7X92
	1 structure	19.4	0.161	79X85X24
5524	1 top	41.4	0.150	235X7X91
	1 structure	19.4	0.161	79X85X24

EN 15372:2008	Level attained
Par. 5	Compliant
EN 1730:2000	Level attained
6.2	(maximum level) 3
6.3	(maximum level) 3
6.4	(maximum level) 3
6.6	(maximum level) 3
6.7	(maximum level) 3
6.8	(maximum level) 3