



**7150 / 7160 / 7161 / 7169 / 7085 / 7166**

**Houndstooth**

TV/mustard	
TB/blue	
TG/grey	
TN/black	

	width	height	depth	seat width/height	unit weight kg.
<b>7150</b>	226 188 (frame)	69	96 63 (frame)	75/43	63.500

**7150 / 7160 / 7161 / 7169 / 7085 / 7166**

**Gubbio fabric**

G1/sand	
G2/ecru	
G3/dove grey	
G4/dark grey	

<b>7160</b>	301 263 (frame)	69	96 63 (frame)	75/43	84.100
-------------	--------------------	----	------------------	-------	--------

**6161/6169 SS\***

**7150 / 7160 / 7161 / 7169 / 7085 / 7166**

**Nilo fabric**

70/white	
71/ecru	
72/dove grey	
73/orange	
74/green	
75/grey	

<b>7161</b>	298 263 (frame)	69	96 63 (frame)	75/43	90.000
<b>6161 SS*</b>	298 263 (frame)	69	96 63 (frame)	75/43	90.000
<b>7169</b>	298 263 (frame)	69	96 63 (frame)	75/43	90.000
<b>6169 SS*</b>	298 263 (frame)	69	96 63 (frame)	75/43	90.000

**Material**

**Seat and back rest:** expanded polyurethane with fabric upholstery

**Removable cover:** Houndstooth - 60% cotton, 25% viscose, 15% linen  
Gubbio - 48% cotton, 15% viscose, 7% linen, 30% polyester

Nilo - 46% cotton, 45% viscose, 8% linen, 1% silk

**Frame:** painted steel





<b>7085</b> cushion	48	48	12		1.100
<b>7166</b> cushion	48	35	12		0.700

**\*Any combination of collection fabrics can be used on request.**


	level reached
EN 1022 2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.8	L2
6.10	L2
6.11	L2
6.12	L2
6.13	L2
6.15	L2
6.16	L2
6.17	L2

packaging	quantity	weight kg.	volume m <sup>3</sup>	dimension
<b>7150</b>	2 seat frames	37.000	0.900	101X78X54
	2 armrests	21.000	0.430	101X42X50
	1 base frame	18.000	0.135	190X64X11
<b>7160</b>	3 seat frames	55,500	1,350	101X78X54
	2 armrests	21.000	0.430	101X42X50
	1 base frame	22.700	0.185	265X64X11
<b>7161/7169/6161/6169</b>	2 seat frames	37.000	0.900	101X78X54
	1 ottoman frame	26.000	0.630	102X115X54
	1 armrest	10.500	0.220	101X42X50
	1 base frame	22.700	0.185	265X64X11
<b>7085</b> Gubbio/Pied de poule	1 cushion	1,850	0,040	51X51X15
<b>7085</b> Nilo	2 cushions	3.000	0.070	52X52X26
<b>7166</b>	1 cushion	1,300	0,040	51X51X15



	width	height	depth	seat width/height	unit weight kg.	
<b>7155</b>		226 188 (frame)	69	96 63 (frame)	75/43	63.500
<b>7170</b>		301 263 (frame)	69	96 63 (frame)	75/43	84.100
<b>7171</b>		298 263 (frame)	69	96 63 (frame)	75/43	90.000
<b>7179</b>		298 263 (frame)	69	96 63 (frame)	75/43	90.000
<b>7175 cushion</b>		48	48	12		1.100
<b>7176 cushion</b>		51	30	12		0.700

**7155 / 7170 / 7171 / 7179 / 7175 / 7176**  
**Sanderson fabric**

V1/chelsea	
V2/peony	
V3/kew	

**7155 / 7170 / 7171 / 7179 / 7175 / 7176**  
**Textile design by Ettore Sottsass**  
**Rete**

A8/beige	
----------	---

**Material**  
**Seat and back rest:** expanded polyurethane with fabric upholstery  
**Removable cover:**  
 Sanderson V1 - 60% linen, 30% cotton, 10% nylon  
 Sanderson V2 - 48% linen, 39% cotton, 13% nylon  
 Sanderson V3 - 49% linen, 38% cotton, 13% nylon  
 Mesh - 100% polyester  
**Frame:** painted steel

**\*Any combination of collection fabrics can be used on request.**

packaging	quantity	weight kg.	volume m <sup>3</sup>	dimension
<b>7155</b>	2 seat frames	37.000	0.900	101X78X54
	2 armrests	21.000	0.430	101X42X50
	1 base frame	18.000	0.135	190X64X11
<b>7170</b>	3 seat frames	55,500	1,350	101X78X54
	2 armrests	21.000	0.430	101X42X50
	1 base frame	22.700	0.185	265X64X11
<b>7171/7179</b>	2 seat frames	37.000	0.900	101X78X54
	1 ottoman frame	26.000	0.630	102X115X54
	1 armrest	10.500	0.220	101X42X50
	1 base frame	22.700	0.185	265X64X11
<b>7175</b>	1 cushion	1,850	0,040	51X51X15
<b>7176</b>	1 cushion	1,300	0,040	51X51X15

	level reached
EN 1022 2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.8	L2
6.10	L2
6.11	L2
6.12	L2
6.13	L2
6.15	L2
2.16	L2
6.17	L2





**7162 / 7163 / 7164 / 7085 / 7166**

**Houndstooth**

TV/mustard	
TB/blue	
TG/grey	
TN/black	

	width	height	depth	seat width/height	unit weight kg.
<b>7162</b>	288	69	288	75/43	141.000

**7162 / 7163 / 7164 / 7085 / 7166**

**Gubbio fabric**

G1/sand	
G2/ecru	
G3/dove grey	
G4/dark grey	

<b>7163</b>	363	69	288	75/43	162.000
-------------	-----	----	-----	-------	---------

**7162 / 7163 / 7164 / 7085 / 7166**

**Nilo fabric**

70/white	
71/ecru	
72/dove grey	
73/orange	
74/green	
75/grey	

<b>7164</b>	363	69	363	75/43	183.000
-------------	-----	----	-----	-------	---------

**Material**

**Seat and back rest:** expanded polyurethane with fabric upholstery

**Removable cover:** Houndstooth - 60% cotton, 25% viscose, 15% linen  
 Gubbio - 48% cotton, 15% viscose, 7% linen, 30% polyester  
 Nilo - 46% cotton, 45% viscose, 8% linen, 1% silk

**Frame:** painted steel


<b>7085</b> cushion	48	48	12		1.100
---------------------	----	----	----	--	-------


<b>7166</b> cushion	48	35	12		0.700
---------------------	----	----	----	--	-------

**\*Any combination of collection fabrics can be used on request.**

	level reached
EN 1022 2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.8	L2
6.10	L2
6.11	L2
6.12	L2
6.13	L2
6.15	L2
6.16	L2
6.17	L2

packaging	quantity	weight kg.	volume m <sup>3</sup>	dimension
<b>7162</b>	4 seat frames	70.000	1.800	101X78X54
	1 corner frame	28.000	0.650	115X101X54
	2 armrests	21.000	0.430	101X42X50
	3 base frames	40.000	0.310	190X64X11
<b>7163</b>	5 seat frames	87.500	2.250	101X78X54
	1 corner frame	28.000	0.650	115X101X54
	2 armrests	21.000	0.430	101X42X50
	3 base frames	46.200	0.360	190X64X11
<b>7164</b>	6 seat frames	105.000	2.700	101X78X54
	1 corner frame	28.000	0.650	115X101X54
	2 armrests	21.000	0.430	101X42X50
	3 base frames	52.400	0.410	264X64X11
<b>7085</b> Gubbio/Pied de poule	1 cushion	1,850	0,040	51X51X15
<b>7085</b> Nilo	2 cushions	3,000	0,070	52X52X26
<b>7166</b>	1 cushion	1,300	0,040	51X51X15

	width	height	depth	seat width/height	unit weight kg.
<b>7172</b> 	288	69	288	75/43	141.000

<b>7173</b> 	363	69	288	75/43	162.000
--	-----	----	-----	-------	---------

<b>7174</b> 	363	69	363	75/43	183.000
---	-----	----	-----	-------	---------


<b>7175</b> cushion	48	48	12		1.100
---------------------	----	----	----	--	-------

<b>7176</b> cushion	51	30	12		0.700
---------------------	----	----	----	--	-------

**\*Any combination of collection fabrics can be used on request.**

packaging	quantity	weight kg.	volume m <sup>3</sup>	dimension	level reached
<b>7172</b>	4 seat frames	70.000	1.800	101X78X54	EN 1022 2005 Compliant
	1 corner frame	28.000	0.650	115X101X54	EN 16139:2013+AC 2013 Compliant
	2 armrests	21.000	0.430	101X42X50	EN 1728:2012+AC 2013
	3 base frames	40.000	0.310	190X64X11	6.4 L2
<b>7173</b>	5 seat frames	87.500	2.250	101X78X54	6.5 L2
	1 corner frame	28.000	0.650	115X101X54	6.6 L2
	2 armrests	21.000	0.430	101X42X50	6.8 L2
	3 base frames	46.200	0.360	190X64X11	6.10 L2
<b>7174</b>	6 seat frames	105.000	2.700	101X78X54	6.11 L2
	1 corner frame	28.000	0.650	115X101X54	6.12 L2
	2 armrests	21.000	0.430	101X42X50	6.13 L2
	3 base frames	52.400	0.410	264X64X11	6.15 L2
<b>7175</b>	1 cushion	1,850	0,040	51X51X15	6.16 L2
<b>7176</b>	1 cushion	1,300	0,040	51X51X15	6.17 L2

**7172 / 7173 / 7174 / 7175 / 7176**  
**Sanderson fabric**

V1/chelsea	
V2/peony	
V3/kew	

**7172 / 7173 / 7174 / 7175 / 7176**  
**Textile design by Ettore Sottsass**  
**Rete**

A8/beige	
----------	---

**Material**  
**Seat and back rest:** expanded polyurethane with fabric upholstery  
**Removable cover:**  
Sanderson V1 - 60% linen, 30% cotton, 10% nylon  
Sanderson V2 - 48% linen, 39% cotton, 13% nylon  
Sanderson V3 - 49% linen, 38% cotton, 13% nylon  
Mesh - 100% polyester  
**Frame:** painted steel

# Largo fire tested Piero Lissoni

NEW PRODUCT!



## A7150 / A7160 / A7161 / A7169

### Houndstooth

TV/mustard	
TB/blue	
TG/grey	
TN/black	

	width	height	depth	seat width/height	unit weight kg.
<b>A7150</b>	226 188 (frame)	69	96 63 (frame)	75/43	63.500

fire resistant version\*\*

## A7150 / A7160 / A7161 / A7169

### Nilo fabric

70/white	
71/ecru	
72/dove grey	
73/orange	
74/green	
75/grey	

<b>A7160</b>	301 263 (frame)	69	96 63 (frame)	75/43	84.100
--------------	--------------------	----	------------------	-------	--------

fire resistant version\*\*

### Material

**Seat and back rest:** expanded polyurethane with fabric upholstery

#### Removable cover:

Houndstooth- 100% PES  
Nilo - 35% cotton, 45% viscose, 8% linen, 1% silk, 11% modacrylic

**Frame:** painted steel

	level reached
EN 1022 2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	

6.4	L2
6.5	L2
6.6	L2
6.8	L2
6.10	L2
6.11	L2
6.12	L2
6.13	L2
6.15	L2
6.16	L2
6.17	L2

<b>A7161</b>	298 263 (frame)	69	96 63 (frame)	75/43	90.000
--------------	--------------------	----	------------------	-------	--------

fire resistant version\*\*

<b>A7169</b>	298 263 (frame)	69	96 63 (frame)	75/43	90.000
--------------	--------------------	----	------------------	-------	--------

fire resistant version\*\*

### \*Any combination of collection fabrics can be used on request.

#### NILO FABRIC

\*\*IT UNI 9175 flame resistance test

Class 1 IM Ministerial approval pending,

EN 1021

UK Standard BS5852 S5, S.I. 1324

US - California Standard TB 117

#### PIED DE POULE FABRIC

\*\*IT UNI 9175 flame resistance test



Class 1 IM Ministerial approval pending,



EN 1021



UK Standard BS5852 S5, S.I. 1324,



US - California Standard TB 117

packaging	quantity	weight kg.	volume m <sup>3</sup>	dimension
<b>A7150</b>	2 seat frames	37.000	0.900	101X78X54
	2 armrests	21.000	0.430	101X42X50
	1 base frame	18.000	0.135	190X64X11
<b>A7160</b>	3 seat frames	55.500	1.350	101X78X54
	2 armrests	21.000	0.430	101X42X50
	1 base frame	22.700	0.185	265X64X11
<b>A7160/A7169</b>	2 seat frames	37.000	0.900	101X78X54
	1 ottoman frame	26.000	0.630	102X115X54
	1 armrest	10.500	0.220	101X42X50
	1 base frame	22.700	0.185	265X64X11

	width	height	depth	seat width/height	unit weight kg.
<b>A7155</b>	226 188 (frame)	69	96 63 (frame)	75/43	63.500
 					
fire resistant version**					

<b>A7170</b>	301 263 (frame)	69	96 63 (frame)	75/43	84.100
 					
fire resistant version**					

<b>A7171</b>	298 263 (frame)	69	96 63 (frame)	75/43	90.000
 					
fire resistant version**					

<b>A7179</b>	298 263 (frame)	69	96 63 (frame)	75/43	90.000
 					
fire resistant version**					

**\*Any combination of collection fabrics can be used on request.**

packaging	quantity	weight kg.	volume m <sup>3</sup>	dimension
<b>A7155</b>	2 seat frames	37.000	0.900	101X78X54
	2 armrests	21.000	0.430	101X42X50
	1 base frame	18.000	1.135	190X64X11
<b>A7170</b>	3 seat frames	55.500	1.350	101X78X54
	2 armrests	21.000	0.430	101X42X50
	1 base frame	22.700	0.185	265X64X11
<b>A7171/A7179/A6161/A6169</b>	2 seat frames	37.000	0.900	101X78X54
	1 ottoman frame	26.000	0.630	102X115X54
	1 armrest	10.500	0.220	101X42X50
	1 base frame	22.700	0.185	265X64X11

**A7155 / A7170 / A7171 / A7179  
Sanderson fabric**

V1/chelsea	
V2/peony	
V3/kew	

**Material**  
**Seat and back rest:** expanded polyurethane with fabric upholstery  
**Removable cover:**  
 Sanderson V1 - 60% linen, 30% cotton, 10% nylon  
 Sanderson V2 - 48% linen, 39% cotton, 13% nylon  
 Sanderson V3 - 49% linen, 38% cotton, 13% nylon  
**Frame:** painted steel

	level reached
EN 1022 2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.8	L2
6.10	L2
6.11	L2
6.12	L2
6.13	L2
6.15	L2
6.16	L2
6.17	L2

**\*\*IT UNI 9175 flame resistance test**  
**Class 1 IM Ministerial approval pending**  
 EN 1021

**UK Standard BS5852 S5, S.I. 1324**  
**BS 7176 Medium Hazard**  
**US - California Standard TB 117**



# Largo fire tested Piero Lissoni

NEW PRODUCTS

## A7162 / A7163 / A7164

### Houndstooth

TV/mustard	
TB/blue	
TG/grey	
TN/black	

## A7162 / A7163 / A7164

### Nilo fabric

70/white	
71/ecru	
72/dove grey	
73/orange	
74/green	
75/grey	

### Material

**Seat and back rest:** expanded polyurethane with fabric upholstery

### Removable cover:

Houndstooth- 100% PES  
Nilo - 35% cotton, 45% viscose, 8% linen, 1% silk, 11% modacrylic

**Frame:** painted steel

	level reached
EN 1022 2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.8	L2
6.10	L2
6.11	L2
6.12	L2
6.13	L2
6.15	L2
6.16	L2
6.17	L2

### NILO FABRIC

\*\*IT UNI 9175 flame resistance test

Class 1 IM Ministerial approval pending, EN 1021

UK Standard BS5852 S5, S.I. 1324

US - California Standard TB 117

### PIED DE POULE FABRIC

\*\*IT UNI 9175 flame resistance test

Class 1 IM Ministerial approval pending, EN 1021

UK Standard BS5852 S5, S.I. 1324, CRIB5




BS 7176 Medium Hazard

US - California Standard TB 117

	width	height	depth	seat width/height	unit weight kg.
<b>A7162</b>	288	69	288	75/43	141.000
fire resistant version**					
<b>A7163</b>	363	69	288	75/43	162.000
fire resistant version**					
<b>A7164</b>	363	69	363	75/43	183.000
fire resistant version**					

**\*Any combination of collection fabrics can be used on request.**

packaging	quantity	weight kg.	volume m <sup>3</sup>	dimension
<b>A7162</b>	4 seat frames	70.000	1.800	101X78X54
	1 corner frame	28.000	0.650	115X101X54
	2 armrests	21.000	0.430	101X42X50
<b>A7163</b>	3 base frames	40.000	0.310	190X64X11
	5 seat frames	87.500	2.250	101X78X54
	1 corner frame	28.000	0.650	115X101X54
<b>A7164</b>	2 armrests	21.000	0.430	101X42X50
	3 base frames	46.200	0.360	190X64X11
	6 seat frames	105.000	2.700	101X78X54
	1 corner frame	28.000	0.650	115X101X54
	2 armrests	21.000	0.430	101X42X50
3 base frames	52.400	0.410	264X64X11	

	width	height	depth	seat width/height	unit weight kg.
<b>A7172</b>	288	69	288	75/43	141.000
					
fire resistant version**					
<b>A7173</b>	363	69	288	75/43	162.000
					
fire resistant version**					
<b>A7174</b>	363	69	363	75/43	183.000
					
fire resistant version**					

\*Any combination of collection fabrics can be used on request.

packaging	quantity	weight kg.	volume m <sup>3</sup>	dimension
<b>A7172</b>	4 seat frames	70.000	1.800	101X78X54
	1 corner frame	28.000	0.650	115X101X54
	2 armrests	21.000	0.430	101X42X50
	3 base frames	40.000	0.310	190X64X11
<b>A7173</b>	5 seat frames	87.500	2.250	101X78X54
	1 corner frame	28.000	0.650	115X101X54
	2 armrests	21.000	0.430	101X42X50
	3 base frames	46.200	0.360	190X64X11
<b>A7174</b>	6 seat frames	105.000	2.700	101X78X54
	1 corner frame	28.000	0.650	115X101X54
	2 armrests	21.000	0.430	101X42X50
	3 base frames	52.400	0.410	264X64X11

**A7172 / A7173 / A7174**

**Sanderson fabric**

V1/chelsea

V2/peony

V3/kew



**Material**

**Seat and back rest:** expanded polyurethane with fabric upholstery

**Removable cover:**

Sanderson V1 - 60% linen, 30% cotton, 10% nylon  
 Sanderson V2 - 48% linen, 39% cotton, 13% nylon  
 Sanderson V3 - 49% linen, 38% cotton, 13% nylon

**Frame:** painted steel

	level reached
EN 1022 2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	

6.4	L2
6.5	L2
6.6	L2
6.8	L2
6.10	L2
6.11	L2
6.12	L2
6.13	L2
6.15	L2
6.16	L2
6.17	L2

\*\*IT UNI 9175 flame resistance test  
 Class 1 IM Ministerial approval pending  
 EN 1021

UK Standard BS5852 S5, S.I. 1324

US - California Standard TB 117