


# LARGO 2016

Design Piero Lissoni


## 7155

2-seater




## 7170

3-seater




## 7171

3-seater, right ottoman




## 7179

3-seater, left ottoman




## 7172

Corner, 5-seater




## 7173

Corner, 6-seater



## 7174

Corner, 7-seater



EN 1022 2005

EN 16139:2013+AC 2013

EN 1728:2012+AC 2013

	level reached
6.4	L2
6.5	L2
6.6	L2
6.8	L2
6.10	L2
6.11	L2
6.12	L2
6.13	L2
6.15	L2
6.16	L2
6.17	L2

level reached

Compliant

Compliant


## 7155

## 7170

## 7171/7179

## 7175

## 7176



2 seat frames	37.0	0.851	101X78X54
2 armrests	21.0	0.424	101X42X50
1 base frame	18.0	0.134	190X64X11
3 seat frames	55.5	1.276	101X78X54
2 armrests	21.0	0.424	101X42X50
1 base frame	22.7	0.187	265X64X11
2 seat frames	37.0	0.851	101X78X54
1 ottoman frame	26.0	0.633	102X115X54
1 armrest	10.5	0.212	101X42X50
1 base frame	22.7	0.187	265X64X11
1 cushion	1.85	0.039	51X51X15
1 cushion	1.3	0.039	51X51X15

**7175**  
Cushion



**7176**  
Cushion



**FRAME**

Painted steel

**SEAT AND BACKREST**


Expanded polyurethane with fabric upholstery

Velvet



Removable cover

\*Any combination of collection fabrics can be used on request.  
Dimensions of customised fabric to cover a single piece:  
2-seater sofa: 140x720 cm. 3-seater sofa: 140x950 cm.



Model	Component	Weight (kg)	Volume (m³)	Dimensions (cm)
<b>7172</b>	4 seat frames	70.0	1.702	101X78X54
	1 corner frame	28.0	0.562	102X102X54
	2 armrests	21.0	0.424	101X42X50
	2 base structures	36.0	0.268	190X64X11
	1 corner structure	5.8	0.028	68X68X6
<b>7173</b>	5 seat frames	87.5	2.127	101X78X54
	1 corner frame	28.0	0.562	102X102X54
	2 armrests	21.0	0.424	101X42X50
	1 base structure	22.7	0.187	265X64X11
	1 base structure	18.0	0.134	190X64X11
1 corner structure	5.8	0.028	68X68X6	
<b>7174</b>	6 seat frames	105.0	2.552	101X78X54
	1 corner frame	28.0	0.562	102X102X54
	2 armrests	21.0	0.424	101X42X50
	2 base structures	45.4	0.373	265X64X11
	1 corner structure	5.8	0.028	68X68X6

Standard	Level Reached
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.8	L2
6.10	L2
6.11	L2
6.12	L2
6.13	L2
6.15	L2
6.16	L2
6.17	L2


# LARGO 2016

Design Piero Lissoni

## 7150

2-seater


### A7150



## 7160

3-seater


### A7160



## 7161

3-seater, right ottoman


### A7161



## 7169

3-seater, left ottoman


### A7169



## 7162

Corner, 5-seater


### A7162



## 7163

Corner, 6-seater


### A7163



## 7164

Corner, 7-seater

### A7164



## 7085

Cushion



	level reached
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.8	L2
6.10	L2
6.11	L2
6.12	L2
6.13	L2
6.15	L2
6.16	L2
6.17	L2

### 7150/A7150

2 seat frames	37.0	0.851	101X78X54
2 armrests	21.0	0.424	101X42X50
1 base frame	18.0	0.134	190X64X11

### 7160/A7160

3 seat frames	55.5	1.276	101X78X54
2 armrests	21.0	0.424	101X42X50
1 base frame	22.7	0.187	265X64X11

### 7161/A7161/7169/A7169

2 seat frames	37.0	0.851	101X78X54
1 ottoman frame	26.0	0.633	102X115X54
1 armrest	10.5	0.212	101X42X50
1 base frame	22.7	0.187	265X64X11

### 7085 Gubbio/Houndstooth/Curly


1 cushion	1.85	0.039	51X51X15
-----------	------	-------	----------

### 7085 Nilo

2 cushions	3.0	0.070	52X52X26
------------	-----	-------	----------

### 7166

1 cushion	1.3	0.039	51X51X15
-----------	-----	-------	----------



**7166**  
Cushion



**FRAME**

Painted steel

**SEAT AND BACKREST**

Expanded polyurethane with fabric upholstery

**REMOVABLE COVER**

Sofa is available in all fabric combinations, with fireproof versions (code AXXXX) indicated with the specific icon.

Curly



Houndstooth



Gubbio




Nilo



Fire tested version

NILO FABRIC  
IT UNI 9175 flame resistance test Class 1 IM Ministerial approval MI1848D20D11M00022, EN 1021  
UK Standard BS5852 S5, BS7176, S.I. 1324 - US - California Standard TB 117  
PIED DE POULE FABRIC  
IT UNI 9175 flame resistance test Class 1 IM Ministerial approval MI1848D20D11M00026, EN 1021  
UK Standard BS5852 S5, S.I. 1324 - US - California Standard TB 117  
CURLY FABRIC  
UK standard BS 5852:1979 Part 1 - Source 1



<b>7162/A7162</b>	4 seat frames	70.0	1.702	101X78X54
	1 corner frame	28.0	0.562	102X102X54
	2 armrests	21.0	0.424	101X42X50
	2 base structures	36.0	0.268	190X64X11
	1 corner structure	5.8	0.028	68X68X6
<b>7163/A7163</b>	5 seat frames	87.5	2.127	101X78X54
	1 corner frame	28.0	0.562	102X102X54
	2 armrests	21.0	0.424	101X42X50
	1 base structure	22.7	0.187	265X64X11
	1 base structure	18.0	0.134	190X64X11
	1 corner structure	5.8	0.028	68X68X6
<b>7164/A7164</b>	6 seat frames	105.0	2.552	101X78X54
	1 corner frame	28.0	0.562	102X102X54
	2 armrests	21.0	0.424	101X42X50
	2 base structures	45.4	0.373	265X64X11
	1 corner structure	5.8	0.028	68X68X6

	level reached
EN 1022 2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.8	L2
6.10	L2
6.11	L2
6.12	L2
6.13	L2
6.15	L2
6.16	L2
6.17	L2