






# BEAUBIEN SUSPENSION



The Beaubien Collection's strong black lines bend in and out of space, moving effortlessly between simplicity and ornamentation. Round and cubic brass connectors complete the lamps' structures and add a rich material contrast to the powder coated rods. The collection's industrial and graphic aesthetic is imbued with a palette of influences, from traditional Chinese screens to the Memphis movement. Each influence strengthens the collection, creating nuance within its timeless character.

<b>TYPE</b>	Pendant
<b>CONSTRUCTION</b>	Powder coated aluminium body Powder coated steel canopy Brass hardware Milk glass globes
<b>SPECIFICATIONS</b>	Source: LED lamp provided (G9 base) Power consumption: 1 × 4.5W + 3 × 3.5W Lumen output: 1272lm  Colour temperature: 2700K included * 3000K available upon request Colour rendering index: ≥ 90 CRI standard Expected lifetime: ≥ 25 000h
<b>CONTROL</b>	Refer to our recommended list of dimmer models
<b>TOTAL HEIGHT</b>	<b>A:</b> 23" <b>B:</b> 27" <b>C:</b> 31" <b>D:</b> 35" <b>E:</b> 41" <b>F:</b> 53" 58cm 69cm 79cm 90cm 104cm 135cm
<b>WEIGHT</b>	Min. 2.4 lb / 1.1 Kg
<b>CERTIFICATIONS</b>	 IP20
<b>WARRANTY</b>	2 years



\*dimensions are approximate and may vary slightly

## FINISH



**BK**  
Flat black




**BR**  
Brass



**GR**  
Graphite

## CANOPY


Swivel option available for slanted ceiling



## NOTES

- Must be installed by an electrician
- Not protected against liquids (refer to IP20)
- Additional charges for modifications or for special orders
- Please refer to maintenance sheet on website for cleaning instructions

## LAMP ANATOMY







## WALL




		Example	Fill with your selection
<b>COLLECTION</b>	<b>BEA</b> Beaubien	<b>BEA</b>	<b>BEA</b>
<b>MODEL</b>	<b>02</b>	<b>02</b>	<b>02</b>
<b>FINISH</b>	<b>BK</b> Flat black	<b>BK</b>	<b>BK</b>
<b>HARDWARE</b>	<b>BR</b> Brass <b>GR</b> Graphite	<b>BR</b>	
<b>HEIGHT</b>	<b>A</b> 23" / 58 cm <b>B</b> 27" / 69 cm <b>C</b> 31" / 79 cm <b>D</b> 35" / 89 cm <b>E</b> 41" / 104 cm <b>F</b> 53" / 135 cm <b>V</b> custom	<b>A</b>	
<b>FULL SKU</b>		<b>BEA02BKBRA</b>	
		<b>NOTES</b>	



## BEAUBIEN 05


The Beaubien Collection's strong black lines bend in and out of space, moving effortlessly between simplicity and ornamentation. Round and cubic brass connectors complete the lamps' structures and add a rich material contrast to the powder coated rods. The collection's industrial and graphic aesthetic is imbued with a palette of influences, from traditional Chinese screens to the Memphis movement. Each influence strengthens the collection, creating nuance within its timeless character.

- type:** suspension
- construction:** powder coated aluminum body  
powder coated steel canopy  
brass hardware  
milk glass globe
- specifications:** source: LED lamp provided (G9 base)  
power consumption: 1 x 4.5W, 7 x 3.5W  
lumen output: 2473lm  
colour temperature: 2700K included  
\* 3000K available upon request  
colour rendering index: 80 CRI standard  
\* ≥ 90 CRI upon request  
expected lifetime: 25 000h
- control:** refer to our recommended list of dimmer models
- weight:** min. 6lb / 2.7kg
- certifications:**     IP20
- warranty:** 2 years



## ORDER GUIDE: SKU

<u>COLLECTION</u>	<u>MODEL</u>	<u>FINISH (body + hardware)</u>
BEA beaubien	05	BKBR black/brass
		BKGR black/graphite
		BRBR brass/brass
BEA	05	BKBR = <b>BEA05BKBR</b> example



### FINISH



flat  
black



graphite



brass





### NOTES:


- must be installed by an electrician
- not protected against liquids (refer to IP20)
- additional charges for modifications or for special orders
- please refer to maintenance sheet on website for cleaning instructions



## BEAUBIEN 06

The Beaubien Collection's strong black lines bend in and out of space, moving effortlessly between simplicity and ornamentation. Round and cubic brass connectors complete the lamps' structures and add a rich material contrast to the powder coated rods. The collection's industrial and graphic aesthetic is imbued with a palette of influences, from traditional Chinese screens to the Memphis movement. Each influence strengthens the collection, creating nuance within its timeless character.


- type:** suspension
- construction:** powder coated aluminum body  
powder coated steel canopy  
brass hardware  
milk glass globe
- specifications:** source: LED lamp provided (G9 base)  
power consumption: 2 x 4.5W, 8 x 3.5W  
lumen output: 3147lm  
colour temperature: 2700K included  
\* 3000K available upon request  
colour rendering index: 80 CRI standard  
\* ≥ 90 CRI upon request  
expected lifetime: 25 000h
- control:** refer to our recommended list of dimmer models
- weight:** min. 12lb / 5.4kg
- certifications:**     IP20
- warranty:** 2 years



\*dimensions are approximate and may vary slightly

## ORDER GUIDE: SKU

<u>COLLECTION</u>	<u>MODEL</u>	<u>FINISH (body + hardware)</u>
BEA beaubien	06	BKBR black/brass
		BKGR black/graphite
		BRBR brass/brass
BEA	06	BKBR = BEA06BKBR example



### FINISH



flat  
black



graphite



brass

### NOTES:





- must be installed by an electrician
- not protected against liquids (refer to IP20)
- additional charges for modifications or for special orders
- please refer to maintenance sheet on website for cleaning instructions






## BEAUBIEN 07

The Beaubien Collection's strong black lines bend in and out of space, moving effortlessly between simplicity and ornamentation. Round and cubic brass connectors complete the lamps' structures and add a rich material contrast to the powder coated rods. The collection's industrial and graphic aesthetic is imbued with a palette of influences, from traditional Chinese screens to the Memphis movement. Each influence strengthens the collection, creating nuance within its timeless character.


- type:** suspension
- construction:** powder coated aluminum body  
powder coated steel canopy  
brass hardware  
milk glass globe
- specifications:** source: LED lamp provided (G9 base)  
power consumption: 2 x 4.5W, 10 x 3.5W  
lumen output: 3746lm  
colour temperature: 2700K included  
\* 3000K available upon request  
colour rendering index: 80 CRI standard  
\* ≥ 90 CRI upon request  
expected lifetime: 25 000h
- control:** refer to our recommended list of dimmer models
- weight:** min. 24lb / 10.8kg
- certifications:**     IP20
- warranty:** 2 years



\*dimensions are approximate and may vary slightly

## ORDER GUIDE: SKU

<u>COLLECTION</u>	<u>MODEL</u>	<u>FINISH (body + hardware)</u>
BEA beaubien	07	BKBR black/brass
		BKGR black/graphite
		BRBR brass/brass
BEA	07	BKBR = BEA07BKBR example



### FINISH



flat  
black



graphite



brass

### NOTES:

- must be installed by an electrician
- not protected against liquids (refer to IP20)
- additional charges for modifications or for special orders
- please refer to maintenance sheet on website for cleaning instructions



## BEAUBIEN 08

The Beaubien Collection's strong black lines bend in and out of space, moving effortlessly between simplicity and ornamentation. Round and cubic brass connectors complete the lamps' structures and add a rich material contrast to the powder coated rods. The collection's industrial and graphic aesthetic is imbued with a palette of influences, from traditional Chinese screens to the Memphis movement. Each influence strengthens the collection, creating nuance within its timeless character.

**type:** suspension

**construction:** powder coated aluminum shade and body  
powder coated steel canopy  
brass hardware  
milk glass globe


**specifications:** source: LED lamp provided (G9 base)  
power consumption: 6 x 3.5W  
lumen output: 1084lm  
colour temperature: 2700K included  
\* 3000K available upon request  
colour rendering index: 80 CRI standard  
\* ≥ 90 CRI upon request  
expected lifetime: 25 000h

**control:** refer to our recommended list of dimmer models

**weight:** 6lb / 2.7kg

**certifications:**     IP20


**warranty:** 2 years



\*dimensions are approximate and may vary slightly

## ORDER GUIDE: SKU

COLLECTION		MODEL	FINISH (body + hardware)	
BEA	beaubien	08	BKBR	black/brass
			BKGR	black/graphite
			BRBR	brass/brass
BEA		08	BKBR	= BEA08BKBR example



### FINISH

\*shades are flat black inside and out



flat  
black



graphite



brass





### NOTES:



- must be installed by an electrician
- not protected against liquids (refer to IP20)
- additional charges for modifications or for special orders
- please refer to maintenance sheet on website for cleaning instructions



## BEAUBIEN 09

The Beaubien Collection's strong black lines bend in and out of space, moving effortlessly between simplicity and ornamentation. Round and cubic brass connectors complete the lamps' structures and add a rich material contrast to the powder coated rods. The collection's industrial and graphic aesthetic is imbued with a palette of influences, from traditional Chinese screens to the Memphis movement. Each influence strengthens the collection, creating nuance within its timeless character.


- type:** suspension
- construction:** powder coated aluminum shade and body  
powder coated steel canopy  
brass hardware  
milk glass globe
- specifications:** source: LED lamp provided (G9 base)  
power consumption: 8 x 3.5W  
lumen output: 1426lm  
colour temperature: 2700K included  
\* 3000K available upon request  
colour rendering index: 80 CRI standard  
\* ≥ 90 CRI upon request  
expected lifetime: 25 000h
- control:** refer to our recommended list of dimmer models
- weight:** min. 12lb / 5.4kg
- certifications:**     IP20
- warranty:** 2 years



\*dimensions are approximate and may vary slightly

## ORDER GUIDE: SKU

<u>COLLECTION</u>	<u>MODEL</u>	<u>FINISH (body + hardware)</u>
BEA beaubien	09	BKBR black/brass
		BKGR black/graphite
		BRBR brass/brass
BEA	09	BKBR = BEA09BKBR example



### FINISH

\*shades are flat black inside and out



flat  
black



graphite



brass

### NOTES:

- must be installed by an electrician
- not protected against liquids (refer to IP20)
- additional charges for modifications or for special orders
- please refer to maintenance sheet on website for cleaning instructions



## BEAUBIEN 10

The Beaubien Collection's strong black lines bend in and out of space, moving effortlessly between simplicity and ornamentation. Round and cubic brass connectors complete the lamps' structures and add a rich material contrast to the powder coated rods. The collection's industrial and graphic aesthetic is imbued with a palette of influences, from traditional Chinese screens to the Memphis movement. Each influence strengthens the collection, creating nuance within its timeless character.

**type:** suspension

**construction:** powder coated aluminum shade and body  
powder coated steel canopy  
brass hardware  
milk glass globe


**specifications:** source: LED lamp provided (G9 base)  
power consumption: 10 x 3.5W  
lumen output: 1790lm  
colour temperature: 2700K included  
\* 3000K available upon request  
colour rendering index: 80 CRI standard  
\* ≥ 90 CRI upon request  
expected lifetime: 25 000h

**control:** refer to our recommended list of dimmer models

**weight:** min. 24lb / 10.8kg

**certifications:**    


**warranty:** 2 years



\*dimensions are approximate and may vary slightly

## ORDER GUIDE: SKU

COLLECTION		MODEL	FINISH (body + hardware)	
BEA	beaubien	10	BKBR	black/brass
			BKGR	black/graphite
			BRBR	brass/brass
BEA		10	BKBR	= <b>BEA10BKBR</b> example



### FINISH

\*shades are flat black inside and out



flat  
black



graphite



brass

### NOTES:

- must be installed by an electrician
- not protected against liquids (refer to IP20)
- additional charges for modifications or for special orders
- please refer to maintenance sheet on website for cleaning instructions



## DIMMER SPECIFICATIONS

### DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 120V

The dimming technology offering the best results is ELV (electronic low voltage) dimmers with reverse phase or trailing edge control.

DIMMER BRAND	MODEL NUMBER	MIN LEVEL	MAX LEVEL	FLICKERING	OVERALL QUOTE
LUTRON - MAESTRO	MAELV-600	0%	100%	0%-10%	good
LUTRON - SKYLARK	SELV-300P	0%	100%	no	very good
LUTRON - SKYLARK	SELV-303P	0%	100%	no	very good
LUTRON - SKYLARK	CTELV-303P	0%	100%	no	very good
LUTRON - DIVA	DVELV-300P	0%	100%	no	very good
LEGRAND - ADORNE	TRUE UNIVERSAL	30%	100%	no	good

### DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 230V

DIMMER BRAND	MODEL NUMBER	MIN LEVEL	MAX LEVEL	FLICKERING	OVERALL QUOTE
VARILIGHT	V-PRO	2%	100%	no	very good
LEGRAND - NILOÉ	3 996 35	15%	87%	no	good
NIKO	310-0280X	5%	94%	no	very good
NIKO	310-0190X	1%	100%	no	very good

\*Other dimmers can yield good results and we recommend conducting your own test before final installation.

