




**5928**  
Q/Wood Soft - h. seat 42.5 cm. - Basic Veneer




**SHELL**  
Curved 3D wood

**SEAT**  
AquaClean® fabric-upholstered mass-dyed thermoplastic technopolymer

**FRAME**  
Chrome-plated or painted steel

**Basic Veneer**



This ecological fabric has a structure designed to simplify cleaning and strength, reducing the risk of accidental tearing sometimes caused by our pets. It is also subject to Safe Front treatment, which prevents the proliferation of bacteria and dust mites.




discover  
Smart Wood Collection




**4913**  
h. seat 43.5 cm. - Basic Veneer

**4914**  
h. seat 43.5 cm. - Slatted Ash



**5913**  
h. seat 41.5 cm. - Basic Veneer

**5914**  
h. seat 41.5 cm. - Slatted Ash



**SHELL**  
Curved 3D wood


**SEAT**  
Mass-dyed thermoplastic technopolymer

**FRAME**  
Chrome-plated or painted steel

**Basic Veneer**



**Slatted Ash**




	level achieved
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.11	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2

	1	9.6	0.308	58X59X90
<b>5928</b>				

	1	9.6	0.308	58X59X90
<b>4913/4914</b>				
<b>5913/5914</b>				

	level achieved
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.11	L2
6.15	L2
6.16	L2
6.17	L2
6.18	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2




**SHELL**  
Curved 3D wood


**SEAT**  
Mass-dyed thermoplastic technopolymer

**FRAME**  
Chrome-plated or painted steel

**SPOKES**  
Chrome-plated or painted die-cast aluminium



discover  
Smart Wood Collection




**SHELL**  
Curved 3D wood

**SEAT**  
AquaClean® fabric-upholstered mass-dyed thermoplastic technopolymer

**FRAME**  
Chrome-plated or painted steel


**SPOKES**  
Chrome-plated or painted die-cast aluminium




This ecological fabric has a structure designed to simplify cleaning and strength, reducing the risk of accidental tearing sometimes caused by our pets. It is also subject to Safe Front treatment, which prevents the proliferation of bacteria and dust mites.



	level achieved
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.11	L2
6.17	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2



**5927** 1 10.0 0.340 63X63X85



**5929** 1 10.0 0.340 63X63X85

	level achieved
EN 1022:2005	Compliant
EN 16139:2013+AC 2013	Compliant
EN 1728:2012+AC 2013	
6.4	L2
6.5	L2
6.6	L2
6.10	L2
6.11	L2
6.17	L2
6.20	L2
6.24	L2
6.25	L2
6.26	L2