

Phantom

Voluminous lamps with
a soft, iconic character



normann

C O P E N H A G E N

Dramatic silhouettes

Phantom is a series of voluminous lamps made from a special semi-transparent resin material. The outlines of archetypical chandeliers have served as inspiration for the lamps' dramatic silhouettes, which in the ivory veil achieve a soft iconic character.

The lamps are made from a steel skeleton, around which the elastic resin is sprayed in closely-spaced threads, as a silkworm forms its cocoon. Tightly wrapped, the lamp's outline stands out like a mysterious echo of the original shape. The lamps emit an indirect, diffuse light that creates warm and atmospheric illumination.



normann

C O P E N H A G E N

Collection Overview



Phantom lamp small
H: 47 x Ø: 45 cm



Phantom lamp medium
H: 44 x Ø: 80 cm



Phantom lamp large
H: 64 x Ø: 81 cm



Product Facts EU

Description

The dramatic Phantom lamps are made from a steel skeleton, around which an elastic resin is sprayed in closely-spaced threads, as a silkworm forms its cocoon. Tightly wrapped, the lamp's outline stands out like a mysterious echo of the original shape. The lamps emit an indirect, diffuse light that creates warm and atmospheric illumination.

Design

Simon Legald, 2018

Material

Fire-resistant resin / Steel frame

Construction

The Phantom lamps are made by spraying thin threads of flame retardant resin on a voluminous steel frame. Many layers of threads create the full lampshade and give it a textured exclusive finish. The light weighted lamps come assembled with a click cover for the bottom opening.

Cord

4 m textile cord, white color. ►

normann

C O P E N H A G E N

Phantom

► Canopy

Included, white color, H: 7,7 x Ø: 9 cm, 0,04 kg

Dimmable function

Yes - with dimmable light source. Ensure your dimmer is compatible with LED.

Voltage

220-240 V

Frequency

50/60 Hz

Ip rating

IP20

Classification

Class I

Socket

E27

Max load

40 W

Light source - recommended

LED E27 EU Ø 60 mm

Power: min 11 W

CCT: 3 000 K

Output: 800 lm

CRI: ~ 80

General standards & certificates

EN 60598-1:2015 +A1:2018

EN 60598-2-1:1989

EN 62493: 2015



normann

C O P E N H A G E N