


LUNAM 2021

Design Patricia Urquiola



FRAME

Painted steel

SEAT

Polyurethane with fabric upholstery

6249

Curly/Orsetto fabric

16249

Curly



C1
White



C2
Rose



C3
Orange



C4
Petroleum



C5
Acid yellow

Orsetto



★ N1
White



N2
Green



N3
Brown



N4
Rusty
orange



N5
Blue



N6
Grey

★ version always in stock - other than in the case of unforeseen events beyond Kartell's control

6250

Antibes fabric

16250



N1
Beige



N2
Anthracite



N3
Pale
grey



N4
Green



N5
Wine



IMO



Removable cover



Fire-resistant version


CURLY/ORSETTO FABRIC - UK standard BS 5852:1979 Part 1 - Source 1

ANTIBES FABRIC - UK standard BS 5852:1979 Part 1 - Source 1


UNI 9175, EN1021 fire reaction test, class 1 IM.MI1848D20D11M00031



EN 1022:2005	Compliant
EN 1728:2012+AC2013	Level achieved
6.4	(maximum level) L2
6.5	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.18	(maximum level) L2
6.24	(maximum level) L2



6249/16249	1	14.0	0.182	65X65X43
6250/16250	1	14.0	0.182	65X65X43



FRAME

Painted steel

SEAT AND BACKREST

Polyurethane with fabric upholstery

6245

Curly/Orsetto fabric

16245

Curly



C1
White



C2
Rose



C3
Orange



C4
Petroleum



C5
Acid yellow

Orsetto



★ N1
White



N2
Green



N3
Brown



N4
Rusty
orange



N5
Blue



N6
Grey

★ version always in stock - other than in the case of unforeseen events beyond Kartell's control

6246

Antibes fabric

16246



N1
Beige



N2
Anthracite



N3
Pale
grey



N4
Green



N5
Wine



IMO



Removable cover



Fire-resistant version

CURLY/ORSETTO FABRIC - UK standard BS 5852:1979 Part 1 - Source 1
ANTIBES FABRIC - UK standard BS 5852:1979 Part 1 - Source 1
UNI 9175, EN1021 fire reaction test, class 1 IM.MI1848D20D11M00031



EN 1022:2005 Compliant

EN 1728:2012+AC2013 Level achieved

6.6 (maximum level) L2

6.10 (maximum level) L2

6.11 (maximum level) L2

6.15 (maximum level) L2

6.16 (maximum level) L2


6.17 (maximum level) L2

6.18 (maximum level) L2

6.20 (maximum level) L2

6.25 (maximum level) L2

6.26 (maximum level) L2



6245/16245 1

33.5

0.627


88X88X81

6246/16246 1

33.5

0.627

88X88X81



FRAME

Painted steel

SEAT AND BACKREST

Polyurethane with fabric upholstery

6247

Curly/Orsetto fabric

16247

Curly



Orsetto




★ version always in stock - other than in the case of unforeseen events beyond Kartell's control

6248


Antibes fabric

16248



Fire-resistant version


CURLY/ORSETTO FABRIC - UK standard BS 5852:1979 Part 1 - Source 1
 ANTIBES FABRIC - UK standard BS 5852:1979 Part 1 - Source 1
 UNI 9175, EN1021 fire reaction test, class 1 IM.MI1848D20D1IM00031



6247/16247	1	74.0	1.824	206X108X82
6248/16248	1	74.0	1.824	206X108X82

EN 1022:2005	Compliant
EN 1728:2012+AC2013	Level achieved
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2

LUNAM CUSHIONS 2021



MATERIAL

Goose down and flock cushions

7177

Curly/Orsetto fabric

Curly




Orsetto




★ version always in stock - other than in the case of unforeseen events beyond Kartell's control

7178

Antibes fabric



Removable cover



7177/7178

1

1.3

0.039

51X51X15