


Technical information
Eperara-Siapidara

Eperara-Siapidara

Colombia, 2013

Single lamps

Eperara-Siapidara S-A




Weight 0,3 kg / 0.66 lbs
Rosette Phosphated. Ø 80 x 40 mm / Ø 3 5/32" x 1 9/16"
Cable Color textile-covered. 150 cm / 4'11"
Base E14 (CE) / E12 (UL)
Input power 4W
Light bulb Included: T25; 400 Lm; 2700K
Packaging 36 x 31 x 27 cm; 1 kg / 14" x 12" x 11"; 2.2 lbs

CE Product code 2_CE_PET_EPS_SA
UL Product code 2_UL_PET_EPS_SA



Eperara-Siapidara M-B




Weight 0,3 kg / 0.66 lbs
Rosette Phosphated. Ø 80 x 40 mm / Ø 3 5/32" x 1 9/16"
Cable Color textile-covered. 150 cm / 4'11"
Base E14 (CE) / E12 (UL)
Input power 4W
Light bulb Included: T25; 400 Lm; 2700K
Packaging 36 x 36 x 36 cm; 1 kg / 14" x 14" x 14"; 2.2 lbs

CE Product code 2_CE_PET_EPS_MB
UL Product code 2_UL_PET_EPS_MB



Eperara-Siapidara S-B





Weight 0,3 kg / 0.66 lbs
Rosette Phosphated. Ø 80 x 40 mm / Ø 3 5/32" x 1 9/16"
Cable Color textile-covered. 150 cm / 4'11"
Base E14 (CE) / E12 (UL)
Input power 4W
Light bulb Included: T25; 400 Lm; 2700K
Packaging 36 x 31 x 27 cm; 1 kg / 14" x 12" x 11"; 2.2 lbs

CE Product code 2_CE_PET_EPS_SB
UL Product code 2_UL_PET_EPS_SB



Eperara-Siapidara L-A




Weight 0,4 kg / 0.88 lbs
Rosette Phosphated. Ø 80 x 40 mm / Ø 3 5/32" x 1 9/16"
Cable Color textile-covered. 150 cm / 4'11"
Base E14 (CE) / E12 (UL)
Input power 4W
Light bulb Included: T25; 400 Lm; 2700K
Packaging 36 x 36 x 36 cm; 1,4 kg / 14" x 14" x 14"; 3.09 lbs

CE Product code 2_CE_PET_EPS_LA
UL Product code 2_UL_PET_EPS_LA



Eperara-Siapidara M-A





Weight 0,3 kg / 0.66 lbs
Rosette Phosphated. Ø 80 x 40 mm / Ø 3 5/32" x 1 9/16"
Cable Color textile-covered. 150 cm / 4'11"
Base E14 (CE) / E12 (UL)
Input power 4W
Light bulb Included: T25; 400 Lm; 2700K
Packaging 36 x 36 x 36 cm; 1 kg / 14" x 14" x 14"; 2.2 lbs

CE Product code 2_CE_PET_EPS_MA
UL Product code 2_UL_PET_EPS_MA



Eperara-Siapidara L-B



Weight 0,4 kg / 0.88 lbs
Rosette Phosphated. Ø 80 x 40 mm / Ø 3 5/32" x 1 9/16"
Cable Color textile-covered. 150 cm / 4'11"
Base E14 (CE) / E12 (UL)
Input power 4W
Light bulb Included: T25; 400 Lm; 2700K
Packaging 51 x 42 x 42 cm; 1,4 kg / 20" x 17" x 17"; 3.09 lbs

CE Product code 2_CE_PET_EPS_LB
UL Product code 2_UL_PET_EPS_LB





Eperara-Siapidara

Colombia, 2013

Single lamps

Eperara-Siapidara L-C





Weight 0,4 kg / 0.88 lbs
Rosette Phosphated. Ø 80 x 40 mm / Ø 3 5/32" x 1 9/16"
Cable Color textile-covered. 150 cm / 4'11"
Base E14 (CE) / E12 (UL)
Input power 4W
Light bulb Included: T25; 400 Lm; 2700K
Packaging 36 x 36 x 36 cm; 1,4 kg / 14" x 14" x 14"; 3.09 lbs

CE Product code 2_CE_PET_EPS_LC
UL Product code 2_UL_PET_EPS_LC



Eperara-Siapidara XL-A





Weight 0,5 kg / 1.1 lbs
Rosette Phosphated. Ø 80 x 40 mm / Ø 3 5/32" x 1 9/16"
Cable Color textile-covered. 150 cm / 4'11"
Base E27 (CE) / E26 (UL)
Input power 6W
Light bulb Included: T45; 600 Lm; 2700K
Packaging 51 x 42 x 42 cm; 1,4 kg / 20" x 17" x 17"; 3.09 lbs

CE Product code 2_CE_PET_EPS_XLA
UL Product code 2_UL_PET_EPS_XLA



Eperara-Siapidara XL-B



Weight 0,5 kg / 1.1 lbs
Rosette Phosphated. Ø 80 x 40 mm / Ø 3 5/32" x 1 9/16"
Cable Color textile-covered. 150 cm / 4'11"
Base E14 (CE) / E12 (UL)
Input power 4W
Light bulb Included bulb: T25; 400 Lm; 2700K
Packaging 51 x 42 x 42 cm; 1,4 kg / 20" x 17" x 17"; 3.09 lbs

CE Product code 2_CE_PET_EPS_XLB
UL Product code 2_UL_PET_EPS_XLB




Eperara-Siapidara


Colombia, 2013

Sets

Eperara-Siapidara Set of 3	Weight	1,7 kg / 3.75 lbs	CEUL
	Rosette	Phosphated	
Includes: 1 x S 1 x M 1 x L	Cable	Color textile-covered. 3 x 250 cm / 3 x 8'2"	
	Base	3 x E14 (CE) / E12 (UL)	
	Input power	12W	
	Light bulb	Included: 3 x T25; 400 Lm; 2700K	
	Cable holder	3 units	
	Packaging	51 x 42 x 42 cm; 3,2 kg / 20" x 17" x 17"; 7.05 lbs	
	CE Product code	2_CE_PET_EPS_SET3	
	UL Product code	2_UL_PET_EPS_SET3	



Eperara-Siapidara Set of 6	Weight	2,8 kg / 6.17 lbs	CEUL
	Rosette	Phosphated	
Includes: 1 x S-A 1 x S-B 1 x M 2 x L 1 x XL	Cable	Color textile-covered. 6 x 250 cm / 6 x 8'2"	
	Base	6 x E14 (CE) / E12 (UL)	
	Input power	24W	
	Light bulb	Included: 6 x T25; 400 Lm; 2700K	
	Cable holder	6 units	
	Packaging	61 x 52 x 57 cm; 5 kg / 24" x 20" x 22"; 11.02 lbs	
	CE Product code	2_CE_PET_EPS_SET6	
	UL Product code	2_UL_PET_EPS_SET6	




Eperara-Siapidara

Colombia, 2013

Sets


Eperara-Siapidara Set of 12	Weight	5,5 kg / 12.13 lbs	CEUL
	Rosette	Phosphated	
	Cable	Color textile-covered	
		6 x 250 cm / 6 x 8'2"	
		6 x 300 cm / 6 x 9'10"	
		Base	
		11 x E14 (CE) / E12 (UL)	
		1 x E27 (CE) / E26 (UL)	
	Input power	50W	
	Light bulb	Included:	
		11 x T25; 400 Lm; 2700K	
		1 x T45; 600 Lm; 2700K	
	Cable holder	12 units	
	Packaging	82 x 62 x 62 cm; 9 kg / 32" x 24" x 24"; 19.84 lbs	
	CE Product code	2_CE_PET_EPS_SET12	
	UL Product code	2_UL_PET_EPS_SET12	

Includes:
1 x S-A
1 x S-B
1 x M-A
1 x M-B
2 x L-A
2 x L-B
2 x L-C
1 x XL-A
1 x XL-B





Eperara-Siapidara Set of 21	Weight	9,9 kg / 21.83 lbs	CEUL
	Rosette	Phosphated	
	Cable	Color textile-covered	
		7 x 250 cm / 7 x 8'2"	
		7 x 300 cm / 7 x 9'10"	
		7 x 350 cm / 7 x 11'8"	
	Base	19 x E14 (CE) / E12 (UL)	
		2 x E27 (CE) / E26 (UL)	
	Input power	88W	
	Light bulb	Included:	
		19 x T25; 400 Lm; 2700K	
		2 x T45; 600 Lm; 2700K	
	Cable holder	21 units	
	Packaging	91 x 61 x 82 cm; 16 kg / 36" x 24" x 32"; 35.27 lbs	
	CE Product code	2_CE_PET_EPS_SET21	
	UL Product code	2_UL_PET_EPS_SET21	

Includes:
2 x S-A
2 x S-B
2 x M-A
2 x M-B
3 x L-A
3 x L-B
3 x L-C
2 x XL-A
2 x XL-B



Light source

The included light bulbs have been carefully selected to fit the best each PET Lamp model. We strongly advice to always use the recommended light bulbs.		
		
T25 Filament LED bulb Diameter: 25 mm Lenght: 85 mm Power: 4 W Lumens: 400 Lm Base: E14 (UL: E12) Color temp: 2700K Lifetime: 10.000 hours CRI: > 80 Suitable for dimming Instant full light Energy efficiency class: A+	T30 Filament LED bulb Diameter: 30 mm Lenght: 225 mm (UL: 185 mm) Power: 8 W (UL: 6 W) Lumens: 800 Lm (UL: 600 Lm) Base: E27 (UL: E26) Color temp: 2700K Lifetime: 10.000 hours CRI: > 80 Suitable for dimming Instant full light Energy efficiency class: A+	T45 Filament LED bulb Diameter: 45 mm Lenght: 106 mm Power: 6 W Lumens: 600 Lm Base: E27 (UL: E26) Color temp: 2700K Lifetime: 10.000 hours CRI: > 80 Suitable for dimming Instant full light Energy efficiency class: A+
		
G200 Filament LED bulb Diameter: 200 mm Lenght: 283 mm Power: 10 W Lumens: 1521 Lm Base: E27 Color temp: 2700K Lifetime: 10.000 hours CRI: > 80 Suitable for dimming Instant full light Energy efficiency class: A+	PAR30 LED Spot 25° Diameter: 95 mm Lenght: 86 mm Power: 9,5 W Lumens: 740 Lm Base: E27 Color temp: 2700K Lifetime: 25.000 hours CRI: > 90 Suitable for dimming Instant full light Energy efficiency class: A+	PAR16 LED Spot 120° Diameter: 50 mm Lenght: 51 mm Power: 7,9 W Lumens: 650 Lm Base: GU10 Color temp: 2700K Lifetime: 25.000 hours CRI: > 90 Suitable for dimming Instant full light Energy efficiency class: A+