



6280

16280 
only on request



6285

swivel version
16285 
only on request



FRAME

Painted steel

SEAT AND BACK

Fabric-upholstered polyurethane


Texture



Chenille




Bouclé



6280/16280	1	31.0	0.509	83X83X74
6285/16285	1	36.0	0.509	83X83X74

6281

16281 
only on request



FRAME

Painted steel

SEAT AND BACK

Fabric-upholstered polyurethane

Texture



Chenille




Bouclé



Fire tested version

CHENILLE/BOUCLÉ FABRIC - UK Standard BS 5852 S5, S.I. 1324
IT UNI 9175, EN1021 fire reaction test class 1 IM M11848D20D1IM00032 (CHENILLE);
class 1IM M11848D20D1IM00033 (BOUCLÉ)



6281	1	77.0	1.430	233X84X73
16281	1	77.0	1.430	233X84X73




EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2

EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2




6283

I6283 only on request



6284

I6284 only on request



FRAME

Painted steel

SEAT AND BACK

Fabric-upholstered polyurethane

Texture




Chenille



Bouclé




Removable cover



6283/6284	1	56.0	0.620	155X85X73
I6283/I6284	1	56.0	0.620	155X85X73

6282

I6282 only on request



FRAME

Painted steel

SEAT

Fabric-upholstered polyurethane

Texture



Chenille




Bouclé



Removable cover

Fire tested version

CHENILLE/BOUCLÉ FABRIC - UK Standard BS 5852 S5, S.I. 1324
IT UNI 9175, EN1021 fire reaction test class 1 IM M11848D20D11M00032 (CHENILLE);
class 1IM M11848D20D11M00033 (BOUCLÉ)



6282	1	17.3	0.285	47X78X78
I6282	1	17.3	0.285	47X78X78



EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2

EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.4	(maximum level) L2
6.5	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.18	(maximum level) L2
6.24	(maximum level) L2

K-WAITING CUSHIONS 2022

7180 Cushion



MATERIAL

Fabric-upholstered goose feather and down cushions

Texture




Chenille




Bouclé



7175 Cushion




7176 Cushion




MATERIAL

Fabric-upholstered goose feather and down cushions

Jacquard



7180 1 1.85 0.039 51X51X15



7175 1 1.85 0.039 51X51X15
7176 1 1.3 0.039 51X51X15