




LAURENT 07




type	suspension	
materials	sphere:	handblown opaline glass
	frame:	polished brass or powder coated aluminum or nickel plated steel
	hardware:	polished brass or powder coated aluminium
	wire:	nylon/polyester
weight	11,5 lb / 5 kg	
light bulb	LED (included), 4,5W (see lightbulb section for specifications)	
sockets	G9	
voltage	120V / 240V	
dimmer	refer to our recommended list of dimmer models	
certifications		
notes	– must be installed by an electrician	
	– additional charges for modifications or for special orders	
	– lead time between 7-9 weeks.	
	– dimensions are approximate and may vary slightly.	


parallel wires



parallel wires with offset connection



angled wires



ORDER GUIDE: SKU

COLLECTION		MODEL	COLOUR (frame + wire system)		CANOPY	MOUNTING TYPE		
LRT	Laurent	07	BLBL	black + black	BL	black	AW	angled wires
			BRBL	brass + black			PW	parallel wires
			BRGD	brass + gold				
			CHBL	chrome + black				
			CHBE	chrome + blue				
			BEBL	blue + black				
			BEBE	blue + blue				
			BUBL	burgundy + black				
			BUSA	burgundy + sand				
			BUBU	burgundy + burgundy				
			TUBL	turquoise + black				
			TUSA	turquoise + sand				
LRT		07	BLBL		BL		AW	

canopy

sphere

frame

wire system

wire

sphere holder

= LRT07BLBLBLAW

example

FRAME COLOUR

textured black	textured blue	textured burgundy	textured turquoise	brass	chrome

MOUNTING COLOUR  
sphere holder & wires

textured black	textured blue	textured burgundy	textured sand	gold

CANOPY COLOR  
custom color available on demand


textured black	flat white

MOUNTING TYPE

angled wires	parallel wires

## LIGHT BULB & DIMMER SPECIFICATIONS

### G9 SOCKETS



Frosted  
4.5W  
100V-120V / 240V  
450 Lumens  
2700 K  
25 000 H  
CRI ≥80  
2 years warranty



### DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 120V

The dimming technology offering the best results is ELV (electronic low voltage) dimmers with reverse phase or trailing edge control.

<u>DIMMER BRAND</u>	<u>MODEL NUMBER</u>	<u>MAX LEVEL</u>	<u>MIN LEVEL</u>	<u>FLICKERING</u>	<u>OVERALL QUOTE</u>
LUTRON - MAESTRO	MAELV-600	100%	0%	0%-10%	good
LUTRON - SKYLARK	SELV-300P	100%	0%	no	very good
LUTRON - SKYLARK	SELV-303P	100%	0%	no	very good
LUTRON - SKYLARK	CTELV-303P	100%	0%	no	very good
LUTRON - DIVA	DVELV-300P	100%	0%	no	very good
LEGRAND - ADORNE	TRUE UNIVERSAL	100%	30%	no	good

### DIMMER LIST COMPATIBILITY FOR G9 LED BULBS – 230V

<u>DIMMER BRAND</u>	<u>MODEL NUMBER</u>	<u>MAX LEVEL</u>	<u>MIN LEVEL</u>	<u>FLICKERING</u>	<u>OVERALL QUOTE</u>
VARILIGHT	V-PRO	100%	2%	no	very good
LEGRAND - NILOÉ	3 996 35	87%	15%	no	good
NIKO	310-0280X	94%	5%	no	very good
NIKO	310-0190X	100%	1%	no	very good

\*Other dimmers can yield good results and we recommend conducting your own test before final installation.