



SMALL FL/Y 2002


Design Ferruccio Laviani



9053/9054

MATERIAL


Batch-dyed recycled PMMA



9068/9069

MATERIAL

Painted PMMA



9066/9067

MATERIAL


Metallic PMMA




JJ14

One E27 max. 12W LED light bulb included
Cannot be sold separately
from 9053/9068/9066

One E26 Max 7.5W LED light bulb included
Cannot be sold separately
from 9054/9069/9067



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.





9053/9054	1	2.14	0.058	42X32X43
9068/9069	1	2.14	0.058	42X32X43
9066/9067	1	2.14	0.058	42X32X43



FL/Y 2002

Design Ferruccio Laviani



9030/9031

MATERIAL

Batch-dyed recycled PMMA




Product made of recycled material

9038/9039

MATERIAL

Painted PMMA



9035/9036

MATERIAL


Metallic PMMA




JJ14

One E27 max. 12W LED light bulb included
Cannot be sold separately
from 9030/9038/9035

One E26 Max 7.5W LED light bulb included
Cannot be sold separately
from 9031/9039/9036



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



9030/9031	1	3.7	0.124	55X41X55
9038/9039	1	3.7	0.124	55X41X55
9035/9036	1	3.7	0.124	55X41X55



9030 - 9038
9035





Intertek
9031-9039
9036

plastic
second life
MIX ECO

BIG FL/Y 2002

Design Ferruccio Laviani



MATERIAL

Batch-dyed recycled PMMA

9058/9059

TRANSPARENT



B4
Transparent



K4
Orange



K9
Sage
green

GLOSSY
OPAQUE



O3
White



Product made of recycled material

9097/9098

MATERIAL

Painted PMMA

MAT



BB
White




MM
Brown


JJ14

One E27 max. 12W LED light bulb included
Cannot be sold separately
from 9058/9097

One E26 Max 7.5W LED light bulb included
Cannot be sold separately
from 9059/9098



The light source can be replaced with a similar source, respecting the data indicated on the label. We recommend using a light source with a colour temperature of 2700 K.



9058/9059	1	10.45	0.481	86X65X86
9097/9098	1	10.45	0.481	86X65X86

